


Lisa M. Caldwell
Kris Sparkman et al
1200 Salmon Street
Suite 1600
Portland, Oregon 97204
Telephone: 503/226-7391

Our Ref. No. 23-59244
Express Mail No. EL584430 US
For: PHOTOACOUSTIC
SPECTROSCOPY SAMPLE
ARRAY VESSEL AND . . .
Mailed: November 13, 2001

**FIG. 1
(PRIOR ART)**



**FIG. 2
(PRIOR ART)**

FIG. 3a




FIG. 3b





FIG. 4



Lisa M. Caldwell
Klarquist Kirkman et al
121 SW 5th Street
Suite 1600
Portland, Oregon 97204
Telephone: 503/226-7391

Our Ref. No. 23-59244
Express Mail No. EL584430164U
For: PHOTOACOUSTIC
SPECTROSCOPY SAMPLE
ARRAY VESSEL AND . . .
Mailed: November 13, 2001

FIG.5




FIG. 6




FIG. 7




FIG. 8

Lisa M. Caldwell
KI Sparkman et al
12 Salmon Street
Suite 1600
Portland, Oregon 97204
Telephone: 503/226-7391

Our Ref. No. 23-59244
Express Mail No. EL584430 US
For: PHOTOCOUSTIC
SPECTROSCOPY SAMPLE
ARRAY VESSEL AND . . .
Mailed: November 13, 2001

FIG. 9




FIG. 10





FIG. 13



Lisa M. Caldwell
Klarquist Markman et al
121 SW Taylor Street
Suite 1600
Portland, Oregon 97204
Telephone: 503/226-7391

Our Ref. No. 23-59244
Express Mail No. EL584430164
For: PHOTOACOUSTIC
SPECTROSCOPY SAMPLE
ARRAY VESSEL AND . . .
Mailed: November 13, 2001




FIG. 11




FIG. 12

Lisa M. Caldwell
Klarquist Sparkman et al
121 SW Salmon Street
Suite 1600
Portland, Oregon 97204
Telephone: 503/226-7391

Our Ref. No. 23-59244
Express Mail No. 584430164US
For: PHOTOACOUSTIC
SPECTROSCOPY SAMPLE
ARRAY VESSEL AND ...
Mailed: November 13, 2001




FIG. 14

Lisa M. Caldwell
Klarquist Clarkman et al
121 SW Taylor Street
Suite 1600
Portland, Oregon 97204
Telephone: 503/226-7391

Our Ref. No. 23-59244
Express Mail No. EL584430164
For: PHOTOACOUSTIC
SPECTROSCOPY SAMPLE
ARRAY VESSEL AND ...
Mailed: November 13, 2001

FIG. 15a




FIG. 15b





FIG. 15c



Lisa M. Caldwell
Klarin Sparkman et al
1211 Salmon Street
Suite 1000
Portland, Oregon 97204
Telephone: 503/226-7391

Our Ref. No. 23-59244
Express Mail No. EL584430
For: PHOTACOUSTIC
SPECTROSCOPY SAMPLE
ARRAY VESSEL AND . . .
Mailed: November 13, 2001

FIG. 16




FIG. 17




FIG. 18





FIG. 19



Lisa M. Caldwell
Klaro Sparkman et al
121 Salmon Street
Suite 1500
Portland, Oregon 97204
Telephone: 503/226-7391

Our Ref. No. 23-59244
Express Mail No. EL58443016
For: PHOTOACOUSTIC
SPECTROSCOPY SAMPLE
ARRAY VESSEL AND...
Mailed: November 13, 2001

